

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5190	((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4))same (bus\$power\$4 or ((SB or bus or ethernet or network\$3 or(serial adj bus)))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:30
L2	2971	((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4))with (bus\$power\$4 or ((SB or bus or ethernet or network\$3 or(serial adj bus)))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 07:56
L3	18	I1 and ((detect\$4 or determin\$4 or recogniz\$5)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:11
L4	0	I2 same ((detect\$4 or determin\$4 or recogniz\$5)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 07:57
L5	0	I1 same ((detect\$4 or determin\$4 or recogniz\$5)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 07:57
L6	4880	((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4 or inhibit\$4))same (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus)))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:10
L7	7	I2 and ((detect\$4 or determin\$4 or recogniz\$5)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:06

L8	20351	(bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))same (self\$power\$4 or ((self or external or supply)near3 power\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:37
L9	1869	l8 same ((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4 or inhibit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:41
L10	1367	l8 same ((voltage or power or current)near3 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4 or inhibit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:10
L11	9	l9 and ((detect\$4 or determin\$4 or recogniz\$5)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:16
L12	712	l8 and ((USB or (universal near2 serial))near3 (device or apparatus or equipment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:15
L13	2130	l8 and ((USB or peripheral or (universal near2 serial))near3 (device or apparatus or equipment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:15
L14	830	l13 and ((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4 or inhibit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:16
L15	38	l14 and ((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:17

L16	0	l14 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)near3 (value or bit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:19
L17	0	l13 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)near3 (value or bit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:54
L18	1	l13 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:42
L19	38	l15 and (((stor\$4 or memory or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:37
L20	25477	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:37
L21	902	l20 and (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))same (self\$power\$4 or ((self or external or supply or source)near3 power\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:53
L22	235	l20 and ((bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))same ((USB or peripheral or (universal near2 serial))near3 (device or apparatus or equipment)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:39
L23	902	l20 and ((bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))same (self\$power\$4 or ((self or external or supply or source)near3 power\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:39

L24	208	I22 and (self\$power\$4 or ((self or external or supply or source)near3 power\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:40
L25	111	I24 and ((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4 or inhibit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:41
L26	0	I25 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:43
L27	1	I25 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:47
L28	6	("6064260" "5189589" "4349879").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:49
L29	5513	protect\$4 with ((self\$power\$4 or (external or source or self or supply)near3 (power or supply or voltage))near3 (device or apparatus or equipment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:51
L30	119	I29 same (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:52
L31	388	I29 and (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:29

L32	0	I31 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)near3 (value or bit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:56
L33	1	I31 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage))same ((stor\$4 or memory or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:55
L34	2	I31 and (((detect\$4 or determin\$4 or recogniz\$5 or presen\$3)near5 (second adj voltage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:08
L35	1100	((selecti\$4 or adapt\$5 or control\$4)near3 (suppl\$4 or voltage or power))with (USB or (universal near3 (device or apparatus or equipment)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:11
L36	614	I35 and (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:29
L37	400	I35 same (bus\$power\$4 or ((USB or bus or ethernet or network\$3 or(serial adj bus))near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:29
L38	122	I37 and ((voltage or power or current)near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:31
L39	2	I37 and ((second near3(voltage or power or current))near5 (protect\$4 or toleran\$4 or prevent\$4 or prohibit\$4 or avoid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 09:40

L40	60	((usb or bus)near3 control\$4) and ((second near3(voltage or power or current))near5 (("not" adj (detect\$4 or recogniz\$4 or presen\$3)) or absen\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:09
L41	0	"6904488".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:09
L42	0	"6904488"".pn.."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:09
L43	2	"6904488".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:27
L44	5	("5928336" "6058441" "6178514" "6516418" "6697892").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/09 10:09
L45	32	("3740569" "4373183" "4395710" "4528662" "4907183" "4980836" "5036251" "5163124" "5237258" "5257163" "5448554" "5465366" "5485458" "5587876" "5675364" "5689574" "5730512" "5758171" "5767844" "5799196" "5877745" "5884086" "5890015" "5914877" "5938770" "6009529" "6067628" "6253267" "6253329" "6338143" "6345364" "6357011").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/09 10:12
L46	0	"6904488".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 10:27
L47	5	("5928336" "6058441" "6178514" "6516418" "6697892").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/09 12:41

L48	12892	((disabl\$4 or deactivat\$4 or disconnect\$4 or de\$power\$4)near5 (power or voltage or supply))same (presen\$4 or detect\$4 or recogniz\$4 or identif\$4)with (voltage or signal or self\$power\$4 or ((self or source)near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:45
L49	342	((disabl\$4 or deactivat\$4 or disconnect\$4 or de\$power\$4)near5 (power or voltage or supply))with (bus or USB or (serial near4 interface)))same (presen\$4 or detect\$4 or recogniz\$4 or identif\$4)with (voltage or signal or self\$power\$4 or ((self or source)near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:47
L50	384	((disabl\$4 or deactivat\$4 or disconnect\$4 or de\$power\$4 or prohibit\$4 or inhibit\$4)near5 (power or voltage or supply))with (bus or USB or (serial near4 interface)))same (presen\$4 or detect\$4 or recogniz\$4 or identif\$4)with (voltage or signal or self\$power\$4 or ((self or source)near3 power\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:48
L51	56	I50 and ((USP or peripheral or (universal near3 bus))near3 (apparatus or equipment or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:50
L52	0	I50 and (protect\$4 near3((USP or peripheral or (universal near3 bus))near3 (apparatus or equipment or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:50
L53	3	I51 and ((protect\$4 or prevent\$4)with damage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:20
L54	8	("5027002" "5736937" "5153808" "6792259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:21

S1	13	("6128743" "6516418" "6415342" "6253329" "6439464" "5675813" "6087804" "6727952" "6668296" "6546450" "6563866" "6760852" "6289397").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 14:14
S2	143	(protect\$4 or prevent\$4 or prohibit\$4 or restrict\$4 or inhibit\$5)near5 ((peripheral or USB)near2 (device or hub or apparatus))with (voltage or supply or power)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:01
S3	229	(protect\$4 or prevent\$4 or prohibit\$4 or restrict\$4 or inhibit\$5)near5 ((peripheral or USB)near2 (device or hub or apparatus))with (voltage or supply or power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:32
S4	34	S3 same (memory or storage or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:22
S5	1	S3 same ((memory or storage or register)with ((presence or absense or detect\$4)near3 (voltage or power)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:21
S6	10	(protect\$4 or prevent\$4 or prohibit\$4 or restrict\$4 or inhibit\$5)near5 ((peripheral or USB)near2 (device or hub or apparatus))with (second near3(voltage or supply or power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:45
S7	0	EP095230	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:46
S8	0	EPO95230	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 14:46
S9	0	EPO095230	EPO; JPO; DERWENT	OR	ON	2005/06/08 14:46
S10	0	EP-095230	EPO; JPO; DERWENT	OR	ON	2005/06/08 14:46

S11	2	"200067137"	DERWENT	OR	ON	2005/06/08 14:48
S12	2	"0952530"	EPO; JPO; DERWENT	OR	ON	2005/06/08 14:56
S13	2	"0952530"	EPO; DERWENT	OR	ON	2005/06/08 14:56
S14	2	"0952530"	EPO; JPO; DERWENT	OR	ON	2005/06/08 15:00
S15	111	(BUS near3 power\$4)with (USB near3 (device or apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:00
S16	31	S15 and ((protect\$4 or prevent\$4 or prohibit\$4 or restrict\$4 or inhibit\$5)with (voltage or supply or power))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:02
S17	2	S15 and ((protect\$4 or prevent\$4 or prohibit\$4 or restrict\$4 or inhibit\$5)with (second near6 (voltage or supply or power)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:02
S18	19	("5167024" "5197143" "5237258" "5239495" "5283905" "5305459" "5313642" "5355503" "5361364" "5381043" "5384721" "5410713" "5457785" "5483464" "5530879" "5579524" "5592632" "5621898" "5675813").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:04
S19	90	("5799196").URPN.	USPAT	OR	ON	2005/06/08 15:11
S20	2	("5799196" "6000042").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:36
S21	11	("6128743").URPN.	USPAT	OR	ON	2005/06/08 15:43
S22	2	("5675813" "5799196").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:57
S23	1	"6516418".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:58
S24	2	"6516418".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:58

S25	32	("3740569" "4373183" "4395710" "4528662" "4907183" "4980836" "5036251" "5163124" "5237258" "5257163" "5448554" "5465366" "5485458" "5587876" "5675364" "5689574" "5730512" "5758171" "5767844" "5799196" "5877745" "5884086" "5890015" "5914877" "5938770" "6009529" "6067628" "6253267" "6253329" "6338143" "6345364" "6357011").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/08 15:58
S26	5	("6516418").URPN.	USPAT	OR	ON	2005/06/08 16:26